



## ZONE 1

# Kabex Special Grids

The Kabex Special Grid is a cantilevered, hardwearing, scraper grid for external use, made in hot-dip galvanised steel. The scraper grid is high-heel friendly and suitable in all entrances where you want an almost self-servicing, dirt collection function in a deeper recess. During the winter, the Kabex Special Grid makes an especially good combination with the Kabe Original entrance mat. Kabex Special Grids are also available with ribbed rubber scraper and anti-slip strips for improved dirt removal and protection against slipping.



## TECHNICAL INFORMATION

### KABEX SPECIAL GRIDS

#### WEIGHT

Approximately 22 kg/m<sup>2</sup> (height 25 mm) for grid with steel profile. Approximately 24 kg/m<sup>2</sup> (height 25 mm) for grid with rubber profile.

#### MESH DISTANCE

43 x 5 mm (free opening).

#### SPAN

Max. 800 mm in the B-direction (height 25 mm).

#### GRID SIZE

Made to measure, max. size for a single piece 1480 x 1000 mm (A x B). To cover larger areas, the grid is divided into suitably sized sections. Standard size 25 mm is kept in stock, matching the stock Casting frames Kabe 25RS.

#### GRID HEIGHT

20 to 50 mm at intervals of 5 mm.

#### OPEN AREA

50%.

#### LOAD-BEARING BARS

Flat bar 25 x 3 mm in the B-direction.

#### SCRAPER STRIP

In punched steel profiles or, alternatively, with rubber scraper strip for reduced risk of slipping.

#### ROUND STEEL

4 mm.

#### SURFACE TREATMENT

Hot-dip galvanised according to SS-EN-ISO 1461.